



Snap-In-Vinyl Glazing Bead


Glazing bead is grouped by shape. Sold per foot - Available in 6ft. lengths unless otherwise specified, minimum 120'




Please Consult Your
Representative for Additional
Colors, Styles and Sizes




Part #	Color
65-30	White
65-29	Lt. Gray



Part #	Color
65-26	Dk. Gray
65-25	White




Part #	Color
65-8	Brown
65-8W	White




Part #	Color
65-1	Lt. Gray
65-59	Black

Portalumbe





Part #	Color
65-69	Brown
65-69W	White

Capitol - 800 Series




Part #	Color
65-60	White
65-60B	Black

Deco




Part #	Color
65-61	White
65-61B	Black

Silverline




Part #	Color
65-66	Gray
65-67	White



Muntin Bar Bead Refer to pg. 210.
Used on 65-34, 65-35, 65-36 Bead Only - All 6" Lengths



Part #	Color
65-78B	Black
65-78W	White





Part #	Color
900-16303	Gray
900-16303W	White




Part #	Color
900-11480	Brown
900-11480W	White
900-11480BZ	Bronze

Capitol





Part #	Color
900-11481	Brown
900-11481W	White

Capitol



Part #	Color
900-14895	Black
900-14895W	White


Krestmark




Part #	Color
900-16724	White
900-16724DB	Bronze

Snap-In-Vinyl Glazing Bead


Glazing bead is grouped by shape. Sold per foot - Available in 6ft. lengths unless otherwise specified, minimum 120'




Please consult your representative for additional colors, styles and sizes.




Part #	Color
900-16422	White
900-16422BK	Black
900-16422DB	Dark Bronze
900-16422G	Gray




Part #	Color
900-16344	Gray
900-16344B	Black
900-16344DB	Dark Bronze
900-16344W	White




Part #	Color
65-4	White
65-5	Lt. Gray




Part #	Color
900-17190	White




Part #	Color
900-18492	White





Part #	Color
900-17870	White
900-17870BZ	Bronze



Part #	Color
65-86WH	White




Part #	Color
900-11015DB	Bronze




Part #	Color
65-42	Black
65-42W	White

Reynolds




Part #	Color
65-44	Lt. Gray




Part #	Color
65-20	White

Keller

Note: Large minimum required



Part #	Color
65-45	White
65-46	Brown




Part #	Color
65-48	Brown
65-48LBR	Light Brown
65-49	White

Pennco

Snap-In-Vinyl Glazing Bead


Glazing bead is grouped by shape. Sold per foot - Available in 6ft. lengths unless otherwise specified, minimum 120'



Actual Size

Part #	Color
65-57	Brown
65-58	White


Capitol



Actual Size


Part #	Color
65-47	Brown
65-47W	White

Pennco



Actual Size


Part #	Color
65-50	White



Actual Size

Part #	Color
65-52	White
65-52B	Black


Capitol



Actual Size

Part #	Color
900-9093	White


Capitol



Actual Size


Part #	Color
900-8745	Black

Acorn




Actual Size

Part #	Color
900-16144	Dark Bronze



Actual Size

Part #	Color
900-17559	Black




Actual Size

Part #	Color
900-12029W	White
900-12029	Bronze

Dual Durometer

Pennco




Actual Size

Part #	Color
65-101NS	Black

Acorn 2300 Series


Double Dual
Durometer Seal
Integrated Here



Actual Size

Part #	Color
65-104	Black
65-104W	White


Acorn 2300 Series



Actual Size


Part #	Color
65-105	Black
65-105W	White

Acorn 2300/3300 Series



Actual Size


Part #	Color
65-108	Black
65-108W	White



Actual Size

Part #	Color
65-88	Gray

Part #	Color	Length
65-168	Bronze	50-1/2"




Actual Size

Part #	Color
65-89B	Black
65-89BZ	Bronze
65-89W	White

Snap-In-Vinyl Glazing Bead

Glazing bead is grouped by shape. Sold per foot - Available in 6ft. lengths unless otherwise specified, minimum 120"




Actual Size

Part #	Color
65-90	White

Dual-Durometer. Old Wenco Bead Cut 6" Lengths


Wenco



Actual Size

Part #	Color
900-11865	Black
900-11865W	White


Acorn



Actual Size

Part #	Color
900-11563	Brown
900-11563W	White


Dual Durometer



Actual Size

Part #	Color
900-16067	White
900-16067A	Almond

Acorn




Actual Size

Part #	Color
900-17496	White
900-17496BZ	Bronze

Dual Durometer


Pennco



Actual Size

Part #	Color
900-17499	White
900-17499BR	Brown


Pennco



Actual Size

Part #	Color
900-17510	White


Head Vinyl Glazing Stop



Actual Size


Part #	Color
900-18453BL	Black
900-18453W	White

Winterseal



Actual Size


Part #	Color
900-18550	White



Actual Size


Part #	Color
900-8744	Black

Dual-Durometer




Actual Size

Part #	Color
65-135	White
65-135A	Almond




Actual Size

Part #	Color
65-240W	White




Example



Actual Size

Part #	Color
65-41	White
65-40	Lt. Gray




Actual Size

Part #	Color
65-32BR	Bronze
65-32	Brown
65-33	White
65-43	Black


Crossly

Snap-In-Vinyl Glazing Bead


Glazing bead is grouped by shape. Sold per foot - Available in 6ft. lengths unless otherwise specified, minimum 120'



Part #	Color
65-28	White
65-27	Black



Part #	Color
65-16	Black
65-15	Brown




Part #	Color
65-17	Lt. Gray
65-12	Black
65-3	White



Part #	Color
65-71	Black
65-71W	White


(Twenty 6 ft. Lengths of the Same Bead
or a Combination of Different Beads)

Binnings




Part #	Color
900-8668	White
900-8668B	Black

Binnings




Part #	Color
900-16683	White
900-16683BZ	Bronze


Bellview



Part #	Color
900-17038	Black
900-17038W	White




Part #	Color
65-87	Gray
65-87B	Black



Part #	Color
900-10613	Bronze
900-10613W	White


Rollyson



MISC SHAPE




Example




Part #	Color
65-39	Lt. Gray

Capitol




Part #	Color
65-101	Black

Acorn 2300 Series




Part #	Color
65-91	White
65-91B	Black

Rollyson 1500 Series



Part #	Color
65-6	White
65-7	Black

V.E. Anderson



Part #	Color
900-14844	White

Winterseal



Snap-In-Vinyl Glazing Bead

Glazing bead is grouped by shape. Sold per foot - Available in 6ft. lengths unless otherwise specified, minimum 120'

MISC SHAPE




Example




Part #	Color
900-9954	Black
900-9954W	White

Keller




Part #	Color
900-11386	Black

Acorn 2300 Series




Part #	Color
900-18970BL	Black
900-18970W	White




Part #	Color
900-15075	White

Winterseal



Part #	Color
900-16343	Bronze
900-16343W	White




Dual Durometer Seal
Integrated here




Part #	Color
900-20713W	White

Dual Durometer





Part #	Color
900-20292	White
900-20292BR	Brown


Rollyson 2500 Series





Part #	Color
65-64	Brown




Part #	Color
65-53	White



Part #	Color
65-70	White
65-70DB	Dark Bronze




Part #	Color
65-55	White



Part #	Color
65-31W	White
65-31	Dark Gray

Capitol



Part #	Color
900-16225	White
900-16225BZ	Bronze


Keller, Single Hung 76,
General Aluminum & Krestmark



Part #	Color
65-375	Brown


Snap-In-Vinyl Glazing Bead

Glazing bead is grouped by shape. Sold per foot - Available in 6ft. lengths unless otherwise specified, minimum 120"



Actual Size


Part #	Color
65-213W	White
65-213	Tan
62-213BZ	Bronze



Actual Size


Part #	Color
65-183W	White

Hurd/Rivco




Actual Size

Part #	Color
900-16212	White
900-16212B	Black



Actual Size

Part #	Color
900-18869	White




Actual Size

Part #	Color
900-9953NEW	Black
900-9953NW	White


New style

Keller



Part #	Color
900-14617	White
900-14617BG	Beige
900-14617BZ	Bronze


Used by Vetter Norco. All 8' Lengths.



Actual Size

Part #	Color
65-235W	White


Acorn



Actual Size

Part #	Color
65-241W	White


Kinro/Acorn



Actual Size


Part #	Color
65-95	White

Tracks



Actual Size


Part #	Color
65-65	Black



Actual Size

Part #	Color
65-68	Charcoal

Capitol




Actual Size

Part #	Color
65-81B	Black
65-81W	White

Seasonall

Muntin Bars




Actual Size

Part #	Color
65-36	White with White bead
65-35	Dk Bronze with Dk Gray bead

Note: All 6' Lengths

Capitol



Actual Size

Part #	Color
65-37	White
65-38	Black

Aluminum. All 8' Lengths


Metal Glazing Bead

Sold by Length - 50-1/2" = 1 Length. Minimum 10 Lengths.




Part #	Color
65-149W	White

Single Hung
Cross Eastern




Part #	Color
65-158	Aluminum
65-159	Bronze
65-160	White

Single Hung
Yale




Part #	Color
65-161	Aluminum
65-162	Bronze

Awning Type Window
Yale



Part #	Color
65-154	Aluminum
65-155	White

Single Hung
Harcar



Part #	Color
65-152	Aluminum
65-153	Bronze

Single Hung
Anderson




Part #	Color
65-163	Aluminum

Single Hung
ABC/Crown/Tucker




Part #	Color
65-164	Aluminum
65-165	Bronze

Single Hung
Kinco



Part #	Color
65-143	Aluminum
65-144	White
65-145	Bronze

Single Hung
Pan Am



Part #	Color
65-146	Aluminum
65-147	White
65-148	Bronze

Awning Type Window
Pan Am



Part #	Color
65-156	Aluminum
65-157	White

Awning Type Window
Harcar




Part #	Color
65-166	Aluminum
65-167	Bronze

Single Hung
Security


Awning Type Window
Superior

Gray Vinyl Glazing Spline


Fits 80-85% of all spline type aluminum windows. Fits all type glazing spline.




Part #	Length
68-1	100 ft.
68-1M	1,000 ft.



Part #	Length
68-2	100 ft.
68-2M	1,000 ft.




Part #	Length
68-3	100 ft.
68-3M	1,000 ft.




Part #	Length
68-4	100 ft.
68-4M	1,000 ft.

Gray Vinyl Glazing Spline


Fits 80-85% of all spline type aluminum windows. Fits all type glazing spline.




Part #	Length
68-10	100 ft.
68-10M	1,000 ft.



Part #	Length
68-9	100 ft.
68-9M	1,000 ft.



Part #	Length
68-13	100 ft.
68-13M	1,000 ft.



Part #	Length
68-14	100 ft.
68-14M	1,000 ft.

Gray Vinyl Glazing Channels

Glazing Channel for Single Strength Glass 1/16" (1.6MM)



Part #	Length
67-5	100 ft.
67-5M	1,000 ft.

Channel Depth 17/64"
Metal Opening 3/16" to 9/32"




Part #	Length
67-7	100 ft.
67-7M	1,000 ft.

Channel Depth 11/32"
Metal Opening 9/32"



Part #	Length
67-2	100 ft.
67-2M	1,000 ft.

Channel Depth 13/64"
Metal Opening 9/64" to 11/64"



Part #	Length
67-6	100 ft.
67-6M	1,000 ft.

Channel Depth 9/32"
Metal Opening 5/32" to 3/16"

Glazing Channel for Double Strength Glass 1/8" (3.2MM)


Minimal dimension changes may occur due to varying rubber components.

Glazing Channel for 1/4" Glass



Part #	Length
67-1	100 ft.
67-1M	1,000 ft.

Channel Depth 15/64"
Metal Opening 5/32" to 1/4"



Part #	Length
67-9	100 ft.
67-9M	1,000 ft.

Channel Depth 9/32"
Metal Opening 1/4" to 19/64"



Part #	Length
67-10	100 ft.
67-10M	1,000 ft.

Channel Depth 15/64"
Metal Opening 7/32" to 15/64"




Part #	Length
67-35	500 ft.

Black


Glazing Channel for 1/2" Glass

Glazing Channel for 5/8" Glass


Perimeter Seals




67-31B
Black. For 1/2" Glass.




900-21729
Black
Acorn 2300 Series



900-21986
Black




900-17896
Gray




900-8718
Horizontal, Gray


Glazing Spline with Flexible Fin




900-11245
Vertical, Gray



900-9970
Gray




900-15846
Gray




900-16077
Gray


Leaf Weatherseals




63-310W
White



900-20766TN
Tan



63-313TN




900-20755

Used Primarily On Wood,
Casement & Marvin Windows


Foam "T" Slot Weatherseal

Weatherstrip




63-381B

Black. (6' Length) Min. 6 Lengths
Peachtree




900-20746TN

Superior operating ease. Outer cladding cuts friction in half. Superior resistance to compression set with one of a kind foam formula. Superior backing. Slips into a T-Slot and stays there. No stretching, no shrinkage.




Part #	A
900-20383W	.190
900-20478W	.270

White




900-20282W

White




900-20207
Black Vinyl

Seasonall/Silverline



900-20230


Foam Filled White Vinyl
Bubble Seal
Seasonall




900-20281W

White

Seasonall




63-180B




900-18224

"T" Slot Extruded Vinyl
Black - Minimum 100'




Part #	Color
63-360B	Black

Acorn



63-170

Beige. Extruded Vinyl




.300 Bulb Diameter

Part #	Color
63-150BG	Beige
63-150W	White
63-150BL	Black

.250 Bulb Diameter


Part #	Color
63-164	Beige
63-164W	White
63-164B	Black

Sold in Multiples of 100'




900-10041

Tan



900-21613N


72". Black. Replaces Driftwood
Peachtree




63-208-82BZ

Bronze Vinyl. 82" Long
Premdor/Therma-Tru


Weatherstrip



63-207
White




Part #	Color
63-215BZ	Bronze
63-215W	White




Part #	Color	Length
63-181BZ-82	Bronze	82"
63-181BG-82	Beige	82"
63-181WH-82	White	82"

Schlegel



63-283BZ
Door Weatherseal
97", Bronze




Part #	Color
900-9176B	Bronze
900-9176WH	White

Fire Rating: UL Rated for up to 180 Minutes

Adhesive-Backed Foam Door Seal



- The Seal is Composed of a Cellular Foam Core and is Clad in an Embossed, Non-Vinyl, Painted Resistant Liner.
- Door Seal is for Kerfless Applications.
- One Profile Seals the Strike Side, Hinge Side and Header while Maintaining a Tight Seal.
- Note: Recommended Temperature for Installation not Less than 40° F.
- Door Seal Comes in 82" Lengths and Sold in Multiples of 10 Lengths.



Part #	Color
63-236BZ	Bronze
63-236W	White
63-236B	Black


Nail-Up Foam Door Seal

- Nail-up Door Seal Set can be Used for Both Wood and Metal Doors.
- Can also be Used for Leaking Windows.
- Door Seal Comes in 7 ft. Lengths and Sold in Multiples of 10 Lengths.



Part #	Color
900-18139BX	Brown
900-18139WX	White



Adhesive Foam Weather-Stripping Tape



Part #	Size	Material	Color
63-151	3/16" x 3/8" x 17'	Vinyl, Closed Cell	Gray
63-152	3/8" x 1/2" x 10'	Vinyl, Closed Cell	Gray

Foam Corner Seals

Q-Lon® Door Seal made of open-cell urethane foam core and clad in embossed polyethylene. Strike jamb and hinge jamb sill corners. One profile seals the strike side, hinge side and header while maintaining a tight seal.




Part #	Color
63-192W-2	White
63-192-2	Bronze
63-192BG-2	Beige

2" Lengths

Part #	Color
63-192W-96	White
63-192-96	Bronze
63-192BG-96	Beige

96" Lengths



Part #	Color
63-345-2	Bronze

2" Lengths



Part #	Color
63-296-2	Bronze


2" Lengths

Magnetic Weather-strip Replacement For Steel Doors




Metal door replacement set consists of magnetic and compression pieces which fit into existing kerf around the door frame. Seals completely against drafts, dirt and moisture.

- Packed 6 Per Carton
Set consists of:
- 1 pc. - 6' 8" Magnetic Weather-strip
 - 1 pc. - 3' Magnetic Weather-strip
 - 1 pc. - 6' 8" Compression Weather-strip



Part #	Color
900-9000S	White
900-9000SBG	Beige
900-9000SBZ	Bronze

Entraseal Door Astragal Seals



For commercial/entrance doors, including wood doors. Designed with unique features not available in other astragals.

- Standard pile height - .480"
- Five 7" lengths per tube.
- Sold in Multiples of 5.

63-500

Profile for Kawneer
Door shown
Black

Replacement Weatherstripping


3/16" (.187) Backing Width

Pile Height	100 Ft.	500 Ft.	Misc.
.170 (11/64)	63-76	63-77	63-78-4.5 (4500')
.200 (13/64)	63-7	63-8	63-9REEL (4000')
.230 (15/64)	63-82	63-83	63-84-3.5 (3500')
.260 (17/64)	63-85	63-86	63-87-3 (3000')
.290 (19/64)	63-25	63-26	63-27REEL (1500')
.320 (21/64)	63-94	63-95	63-96REEL (1000')
.350 (23/64)	63-34	63-35	63-36 (1000')


17/64" (.270) Backing Width

Pile Height	100 Ft.	500 Ft.	Misc.
.170 (11/64)	63-40	63-41	63-42REEL (7000')
.200 (13/64)	63-46	63-47	63-48-3 (3000')
.230 (15/64)	63-52	63-53	63-54REEL (1500')
.260 (17/64)	63-112	63-113	63-114REEL (1500')
.290 (19/64)	63-61	63-62	63-63-2 (2000')
.320 (21/64)	63-121	63-122	63-123-2 (2000')
.350 (23/64)	63-70	63-71	63-72REEL (1500')


Additional backing sizes available: 23/64, 27/64", 1/2"



Standard Groove Dimensions



Weatherstripping With Adhesive Backing



17/64" (.270)

Other Sizes Available Upon Request With Minimum Orders


Part #	Length
63-49TP	100 ft. roll
63-51TP	1,000 ft. roll

7/32" (.220) Pile Height

Part #	Length
63-55TP	100 ft. roll
63-57TP	1,000 ft. roll


1/4" (.250) Pile Height

Misc



900-13005

36" Replacement Threshold Insert
Gray, Vinyl



900-14942

Wood & Vinyl Foam Door Set
2 pc. 7' Long, 1 pc. 3' Long

Edgetech Super Spacer

Edgetech Super Spacer

Super Spacer® Premium Plus is a flexible, silicone foam spacer product. Super Spacer® provides the maximum in perimeter insulation for sealed glazing units and prevents condensation. Desiccant-filled with pre-applied side adhesive, the structural foam spacer significantly simplifies insulating glass (IG) production.

Featuring a vapor barrier backing, the product must be used in combination with conventional IG sealants such as hot melt butyl, polyurethane and solvent-free polysulfide. Dual seal equivalent sealants may also be used.

1/4" Thick Super Spacer Premium Plus

Gray	Black	Width	Reel Size
92-503	92-503B	1/4"	66'
92-503X	92-503XB	1/4"	1100'
92-504	-	5/16"	66'
92-504X	-	5/16"	1100'
92-505	92-505B	3/8"	66'
92-505X	92-505XB	3/8"	900'
92-507	-	1/2"	66'
92-507X	-	1/2"	700'
92-509	-	5/8"	66'
92-509X	-	5/8"	575'
92-512	-	13/16"	66'
92-512X	-	13/16"	400'

Edgetech New & Improved

Energy efficient Super Spacer® Premium Plus qualifies for the newly passed Economic Stimulus Bill.

Enhanced Features Include:

- Up to 30% lower thermal conductivity
- Superior long-term durability
- The warmest edge of glass temperature
- The highest NFRC Condensation Resistance rating

